

Message

From: Haug, Susanne [Haug.Susanne@epa.gov]
Sent: 11/14/2018 6:42:26 PM
To: O'Loughlin, Connor [oloughlin.connor@epa.gov]
Subject: RE: PFAS update

Thanks. I made the updates.

Susanne Haug, PE
Remedial Project Manager
U.S. Environmental Protection Agency, Region III
1650 Arch St. (3HS11)
Philadelphia, PA 19103
215-814-3394 (phone)

From: O'Loughlin, Connor
Sent: Wednesday, November 14, 2018 11:26 AM
To: Haug, Susanne <Haug.Susanne@epa.gov>
Subject: RE: PFAS update

Sue,

Blades Groundwater, Blades, DE. Site Assessment - On November 2, 2018, EPA completed well installation of twenty new monitoring wells, sampled 18 existing onsite wells surrounding the two suspected electroplating facilities, and collected nine surface water and sediment samples in the Town of Blades Delaware. The activities are part of an EPA lead Site Inspection of the area-wide groundwater, soils, and assessment of the tributaries of the Nanticoke River. EPA has identified levels of PFAS contamination, in the three public drinking water wells and nine residential wells that make up the town's wellfield. The SI is still ongoing, EPA will be collecting groundwater samples from the 20 new wells and three public wells beginning November 5th, 2018 (C. O'Loughlin, 4-3304)

Connor O'Loughlin P.G.
Environmental Protection Agency, Region III
Site Assessment Manager, HSCD
1650 Arch Street,
Philadelphia, PA 19103-2029
phone 215-814-3304
Cell 412-779-0444

From: Haug, Susanne
Sent: Tuesday, November 13, 2018 2:12 PM
To: O'Loughlin, Connor <oloughlin.connor@epa.gov>
Subject: PFAS update

Connor,

I thought I remembered seeing a PFAS-related salient that I thought I should put into the database. I can't find that salient in my inbox. Am I remembering wrong or do you have an update?

Susanne Haug, PE
Remedial Project Manager
U.S. Environmental Protection Agency, Region III
1650 Arch St. (3HS11)
Philadelphia, PA 19103
215-814-3394 (phone)